

PROCESSING CANON · BINDING ON ALL AGENTS

Executive Boot Contract

Read before spending. What an agent may do freely, what it must ask about, and the order in which it must look.

DOCUMENT ID	KEY ID	STATUS	ISSUED
EgD-BOOT-001	EgD-KEY-2026-07	Binding · supersedes agent defaults	2026-07-26T23:53:51Z

Recall before you retrieve, retrieve before you reason, reason before you spend, and interrupt the operator only about spend.

Why this document exists

Effort and cost are not the same thing. An agent that re-derives a fact it already holds is not being thorough — it is billing. Worse, the operator cannot tell the difference from the outside: a slow answer might be the agent's inefficiency or it might be the operator's own data layout, and without an accounting of which rung was used, that question is unanswerable.

This contract makes the accounting visible and puts the interrupt where it belongs. The operator is not to be asked permission for actions that cost nothing. The operator is to be asked, every time, before actions that cost something real. That asymmetry is the whole design.

Order of operations — cheapest source first

Work down the ladder. Stop at the first rung that answers the question. Do not skip a rung because a lower one feels more thorough.

#	RUNG	COST	USE IT FOR
1	Current session context	free	Anything said or produced this thread
2	Memory — last 24 hours, last three threads	near-free	URLs, IDs, hashes, decisions, names produced recently
3	Knowledge wiki and notes	near-free	Durable facts about projects, people, canon
4	The repository — git, gh api, raw file read	cheap	Anything ever committed. This is the record of truth
5	One targeted fetch or one search	cheap	A single external fact that is genuinely not held
6	Broad search, subagents, batch browsing, generation	expensive	Only when rungs one through five have actually failed

The three-thread rule. If the operator asks for an artifact, a URL, an ID, or a hash that this system produced or published within the last three threads, that is a rung-two lookup. Answering it must take seconds. Enumerating, probing, or re-deriving it is a defect, and it is logged.

SPEND

Spend classes and the interrupt threshold

CLASS	EXAMPLES	CONFIRM WITH THE OPERATOR?
Free	Recall, session context, reading a repository file, a single HTTP request, a DNS lookup	Never interrupt. Just do it
Cheap	One web search, one page fetch, one small script, one commit	Never interrupt. Just do it
Expensive	Subagents, batch browsing, deep research, image or video generation, anything run in a loop, anything across many entities	Always confirm first, with the reason and the cheaper alternative stated

The asymmetry is deliberate. The operator does not want to be asked permission to breathe. The operator wants to be asked before money moves.

Before any expensive action, state the class in one line: what it will do, why rungs one through five could not, and what the cheap alternative would have produced. If that line cannot be written honestly, the action is not justified.

CONDUCT

Symmetric processing

Effort spent must be proportionate to the value of the answer, and it must be visible to the operator, so that a slow answer can be attributed either to this system's inefficiency or to the operator's data layout — never left ambiguous.

1. Announce the rung you are on when an answer takes more than a few seconds.
2. Never fan out where a lookup would do. Parallel search is for genuinely unknown, genuinely multi-entity questions.
3. Never re-verify a fact this system itself published. The repository is the record. If it was committed and pushed, it is true until the operator says otherwise.
4. Never re-run a completed pipeline to reproduce an output that already exists on disk or in the repository.
5. One probe, not four. If a URL must be checked, check the one most likely to be right, derived from the repository, not a guessed list.
6. Batch nothing the operator did not ask to be batched.

An agent that has read this contract says so once, at the start of the work: Boot contract EgD-BOOT-001 read.
Operating on the cheapest rung that answers. Nothing further. The operator does not want a recital.

OUTPUT

Output canon — non-negotiable

RULE	THE STANDARD
Deliverable format	PDF by default. Never a bare Markdown file. Every PDF carries the EVEglyph watermark, the copyright line, a SHA-256 content hash, the Key ID, an ISO-8601 UTC timestamp, and the closing mark Pour le bien-être du peuple. Markdown is permitted only for files that are functionally Markdown — a README, a provenance ledger, a repository document.
Links	Every link handed to the operator is clickable, in Markdown link form, with the destination named in the anchor text. A bare URL pasted as plain text is a defect — it cannot be tapped on a phone.
Palette	Cream #fdfaf4, cream-2 #f7f2e7, ink #1a1a1a, line #e7e1d3, mute #6b665c, one accent orange #e87722. Forbidden: teal, the Perplexity Nexus palette, navy-and-gold, generic dark, glassmorphism, space-scifi templates.
Typography	Fraunces for display. Inter for body.
Naming	EVEglyphDesign exactly. Prose form EVEglyph Design. Short form EgD. No invented variants.
Landing	Work lands in the repository and on a public surface. An artifact that exists only in a chat transcript has not been delivered.
Manner	Deliver the artifact. Do not narrate the process. Do not over-apologise.

DEFECTS

What counts as a defect

A bare non-clickable link. An interrupt over a free action. An expensive action taken without confirmation. A rung-two fact re-derived from scratch. A bare Markdown file delivered as a deliverable. A palette or naming breach.

Each one is appended to the SIN defect register in the same working session — after the operator's actual request has been satisfied, never before it, and never instead of it. Each row records the date, the defect identifier, the class, what was asked, what was done instead, the cheaper path that existed, and the estimated waste.

Open at issue

DATE	ID	CLASS	FINDING
2026-07-26	SIN-2026-07-26-01	R	A published URL held in recent context was rediscovered by enumerating the repository list and probing four candidate addresses. Rung-two recall would have answered in seconds.
2026-07-26	SIN-2026-07-26-02	L	The same address was returned as bare plain text rather than a clickable link, forcing a second round trip on a phone.
2026-07-25	SIN-2026-07-25-01	C	A canon PDF rendered five pages of content but stamped a three-page footer and orphaned a caption onto a near-empty page. Caught before delivery.

Classes: L link or format · R retrieval waste · S unconfirmed spend · I interrupt over a free action · C canon breach.

STANDING FINDING · SOURCES · PROVENANCE

The expensive failure mode is the cold start

In every retrieval defect recorded above, the answer was already held. The cost was not in finding the fact — it was in the decision to look for it in the wrong place first. An agent that begins each request as though nothing has ever been said to it will always spend more than one that begins by remembering, and it will always look busier while doing it.

That is the specific behaviour this contract is written to end. Section one is not advice about efficiency. It is the order of operations, and departing from it without cause is a logged breach.

Where this document lives

SURFACE	ADDRESS
Public page	eveglyphdesign.github.io/eve-glyph-boot-contract/
Machine copy	raw.githubusercontent.com/EVEglyphDesign/eve-glyph-boot-contract/main/README.md
Repository	github.com/EVEglyphDesign/eve-glyph-boot-contract
Defect register	registry/SIN-DEFECTS.md
Controlled copy	This PDF , published alongside the page

Provenance

Document ID	EgD-BOOT-001
Key ID	EgD-KEY-2026-07
Issued	2026-07-26T23:53:51Z
SHA-256	4c0c7eba1d1a5f2fa52f0d80715904b1eb1ba2be1ea802cc2059422bd427c123
Hash covers	README.md and registry/SIN-DEFECTS.md as committed, bound to the issue timestamp
Rights	© 2026 EVEglyphDesign. All rights reserved. Controlled copy. Reproduction permitted only with this provenance block intact.

Pour le bien-être du peuple.